Material Safety Data Sheet



Screen Prep[™] Presaturated Wipe

1. Product and company identification

| Product name | : Screen Prep™ Presaturated Wipe |
|----------------------|---|
| Supplier | : ITW Chemtronics 8125 Cobb Center Drive Kennesaw, GA 30152 |
| | Tel. 770-424-4888 or toll free 800-645-5244 |
| Synonym | : CSP20 |
| Trade name | : Screen Prep [™] CSP20 Pre-Saturated Cleaning Wipe |
| Material uses | : Other non-specified industry: Antistat. |
| Manufacturer | : ITW Chemtronics 8125 Cobb Center Drive Kennesaw, GA 30152 |
| | Tel. 770-424-4888 or toll free 800-645-5244 |
| Code | : CSP20 |
| MSDS # | : 1001 |
| Validation date | : 6/7/2013. |
| Print date | : 6/7/2013. |
| In case of emergency | : Chemtrec - 1-800-424-9300 or collect 703-527-3887 24/7 |
| Product type | : Wipes/Liquid. |

2. Hazards identification

| Emergency overview | | |
|--------------------------------|------------|--|
| Physical state | 1 | Liquid. |
| Color | 1 | Colorless. |
| Odor | 1 | Ethereal. |
| Signal word | 1 | WARNING! |
| Hazard statements | : | CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. |
| Precautionary measures | : | Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. |
| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Potential acute health effects | 2 | |
| Inhalation | : | Harmful by inhalation. At very high concentrations, can displace the normal air and cause suffocation from lack of oxygen. |
| Ingestion | 1 | Harmful if swallowed. Irritating to mouth, throat and stomach. |
| Skin | 1 | Slightly irritating to the skin. |
| Eyes | 1 | Severely irritating to eyes. Risk of serious damage to eyes. |
| Potential chronic health effe | <u>cts</u> | |
| Chronic effects | 1 | Contains material that may cause target organ damage, based on animal data. |
| Carcinogenicity | 1 | No known significant effects or critical hazards. |
| Mutagenicity | 1 | No known significant effects or critical hazards. |
| Teratogenicity | 1 | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |

| 2. Hazards identification | | | | | |
|---|---|--|--|--|--|
| Fertility effects | No known significant effects or critical hazards. Contains material which may cause damage to the following organs: blood, kidneys, liver, spleen, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea. | | | | |
| Target organs | | | | | |
| <u>Over-exposure signs/syr</u> | nptoms | | | | |
| Inhalation | : Adverse symptoms may include the following: drowsiness/fatigue headache dizziness/vertigo unconsciousness | | | | |
| Ingestion | : Adverse symptoms may include the following: Irritating to mouth, throat and stomach. nausea or vomiting | | | | |
| Skin | : Adverse symptoms may include the following: irritation redness | | | | |
| Eyes | : Adverse symptoms may include the following: pain or irritation watering redness | | | | |
| Medical conditions aggravated by over- exposure | Pre-existing disorders involving any target organs mentioned in this MSDS as being a risk may be aggravated by over-exposure to this product. | | | | |
| See toxicological inform | ation (Section 11) | | | | |

3. Composition/information on ingredients

| Name | CAS number | % |
|-------------------|------------|---------|
| Isopropyl alcohol | 67-63-0 | 20 - 30 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

| 4. First aid measures | | | | | |
|----------------------------|--|--|--|--|--|
| Eye contact | : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. | | | | |
| Skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clear shoes thoroughly before reuse. Get medical attention immediately. | | | | |
| Inhalation | : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. | | | | |
| Ingestion | : Wash out mouth with water. Do not induce vomiting unless directed to do so by medica personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately. | | | | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. | | | | |
| Notes to physician | : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. | | | | |

5. Fire-fighting measures

| Flammability of the product | : In a fire or if heated, a pressure increase will occur and the container may burst. |
|--|---|
| Extinguishing media | |
| Suitable | : Use an extinguishing agent suitable for the surrounding fire. |
| Not suitable | : None known. |
| Special exposure hazards | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Hazardous thermal decomposition products | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6. Accidental release measures

| Personal precautions | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). |
|---------------------------|---|
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods for cleaning up | |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

7. Handling and storage

| Handling | : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|----------|--|
| Storage | : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

8. Exposure controls/personal protection

| Ingredient | Exposure limits |
|-----------------------------------|---|
| Isopropyl alcohol | ACGIH TLV (United States, 3/2012). STEL: 400 ppm 15 minutes. TWA: 200 ppm 8 hours. NIOSH REL (United States, 1/2013). STEL: 1225 mg/m ³ 15 minutes. STEL: 500 ppm 15 minutes. TWA: 980 mg/m ³ 10 hours. TWA: 400 ppm 10 hours. OSHA PEL (United States, 6/2010). TWA: 980 mg/m ³ 8 hours. TWA: 400 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). STEL: 1225 mg/m ³ 15 minutes. STEL: 500 ppm 15 minutes. TWA: 980 mg/m ³ 8 hours. TWA: 980 mg/m ³ 8 hours. |
| Recommended monitoring procedures | If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
| Engineering measures | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Personal protection | |
| Respiratory | Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Hands | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Eyes | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

9. Physical and chemical properties

| Physical state | : Liquid. |
|-----------------------------------|---|
| Flash point | : Open cup: >93°C |
| Auto-ignition temperature | : 399.05°C (750.3°F) (propan-2-ol). |
| Color | : Colorless. |
| Odor | : Ethereal. |
| Boiling/condensation point | : 100°C (212°F) |
| Relative density | : 0.78 |
| Vapor pressure | : 4.4 kPa (33 mm Hg) [room temperature] |
| Vapor density | : 2.07 |
| Evaporation rate | : >1 (butyl acetate = 1) |

10. Stability and reactivity

| Chemical stability | : The product is stable. |
|------------------------------------|--|
| Conditions to avoid | Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. open flames, sparks and static discharge |
| Incompatible materials | Reactive or incompatible with the following materials: oxidizing materials alkalis |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |

11. Toxicological information

Acute toxicity

| Product/ingredient name | Result | Species | Dos | e | Exposure | |
|-------------------------|--|------------------|-------|--------------------|-------------|--|
| Isopropyl alcohol | LD50 Dermal LD50 Oral | Rabbit Rat | | 0 mg/kg) mg/kg | - | |
| Conclusion/Summary | : Not available. | | | | | |
| Chronic toxicity | | | | | | |
| Conclusion/Summary | : Not available. | | | | | |
| rritation/Corrosion | | | | | | |
| Product/ingredient name | Result | Species | Score | Exposure | Observatior | |
| Isopropyl alcohol | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 | - | |
| | | Data | | milligrams | | |
| | Eyes - Moderate irritant Eyes - Severe irritant | Rabbit Rabbit | - | 10 milligrams | - | |
| | Eyes - Severe initalit | Rabbit | - | milligrams | - | |
| | Skin - Mild irritant | Rabbit | - | 500 | - | |
| | | | | milligrams | | |
| Conclusion/Summary | : Not available. | | • | | · | |
| <u>Sensitizer</u> | | | | | | |
| Conclusion/Summary | : Not available. | | | | | |
| Carcinogenicity | | | | | | |
| Conclusion/Summary | : Not available. | | | | | |
| Classification | | | | | | |

11. Toxicological information

| Product/ingredient name | OSHA | IARC | NTP | ACGIH | EPA | NIOSH |
|---------------------------|-----------|----------|-----|-------|-----|-------|
| Isopropyl alcohol | - | 3 | - | A4 | - | None. |
| Mutagenicity | I | | I | | 1 | |
| Conclusion/Summary | : Not ava | ailable. | | | | |
| Teratogenicity | | | | | | |
| Conclusion/Summary | : Not ava | ailable. | | | | |
| Reproductive toxicity | | | | | | |
| Conclusion/Summary | : Not ava | ailable. | | | | |

12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic ecotoxicity

| Product/ingredient name | Result | Species | Exposure | |
|---------------------------|---|-------------------------------|----------|--|
| Isopropyl alcohol | Acute LC50 1400000 to 1950000 µg/l Marine water | Crustaceans - Crangon crangon | 48 hours | |
| | Acute LC50 1400000 μg/l | Fish - Gambusia affinis | 96 hours | |
| Conclusion/Summary | : Not available. | | | |
| Persistence/degradability | | | | |
| Conclusion/Summary | : Not available. | | | |
| Other adverse effects | : No known significant effects or critical hazards. | | | |

13. Disposal considerations

| Waste disposal | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains |
|----------------|--|
| | and sewers. |

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|--------------------------|-------------------|----------------------|---------|-----|-------|------------------------|
| DOT Classification | Not regulated. | - | - | - | | Not regulated. |
| TDG Classification | Not regulated. | - | - | - | | Not regulated. |
| Mexico Classification | Not regulated. | - | - | - | | Not regulated. |
| | | | | | | |

Screen Prep™ Presaturated Wipe

| 14. Transport information | | | | | |
|---------------------------|-------------------|---|---|---|----------------|
| ADR/RID Class | Not regulated. | - | - | - | Not regulated. |
| IMDG Class | Not regulated. | - | - | - | Not regulated. |
| IATA-DGR Class | Not regulated. | - | - | - | Not regulated. |

PG* : Packing group

15. Regulatory information

| • • | |
|---|---|
| HCS Classification | : Irritating material Target organ effects |
| U.S. Federal regulations | : TSCA 8(a) CDR Exempt/Partial exemption: Not determined |
| | United States inventory (TSCA 8b): All components are listed or exempted. |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed |
| Clean Air Act Section 602 Class I Substances | : Not listed |
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals (Essential Chemicals) | : Not listed |
| SARA 302/304 | |
| Composition/information of | <u>in ingredients</u> |
| No products were found. | |
| SARA 304 RQ | : Not applicable. |
| <u>SARA 311/312</u> | |
| Classification | : Immediate (acute) health hazard Delayed (chronic) health hazard |
| Composition/information of | on ingredients |

Composition/information on ingredients

| Name | % | hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|-------------------|---------|--------|----------------------------------|----------|--|--|
| Isopropyl alcohol | 20 - 30 | Yes. | No. | No. | Yes. | Yes. |

SARA 313

| | Product name | CAS number | % |
|------------------------------------|-------------------|------------|---------|
| Form R - Reporting requirements | Isopropyl alcohol | 67-63-0 | 20 - 30 |
| Supplier notification | Isopropyl alcohol | 67-63-0 | 20 - 30 |

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

Massachusetts

: The following components are listed: ISOPROPYL ALCOHOL

15. Regulatory information


| 10. Regulatory mil | ormation |
|---|--|
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: ISOPROPYL ALCOHOL; 2-PROPANOL |
| Pennsylvania | : The following components are listed: 2-PROPANOL |
| Canada inventory | : All components are listed or exempted. |
| International regulations | |
| International lists | Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined. |
| Chemical Weapons Convention List Schedule I Chemicals | : Not listed |
| Chemical Weapons Convention List Schedule Il Chemicals | : Not listed |
| Chemical Weapons Convention List Schedule III Chemicals | : Not listed |

16. Other information



: CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

ż

÷

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Screen Prep™ Presaturated Wipe

16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

| Date of printing | : 6/7/2013. |
|------------------------|---------------------------|
| Date of issue | : 6/7/2013. |
| Date of previous issue | : No previous validation. |
| Version | : 1 |
| Prepared by | : Not available. |
| | |

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.