



Reflow Oven Cleaner

- Melts away burned-on flux residues from wave solder machines & reflow ovens
- Works up to four times faster than isopropanol
- Fast, safe cleaning of pallets, baffles, heating elements, clamps, chains, drive gears & housings
- Plastic-safe, ESD-safe
- Aggressive cleaner with minimum odor
- Activated by the heat of the oven
- Can be used in dip tanks & ultrasonic cleaners
- Nonflammable and non-foaming

Product Information

Spray on and wipe off, the *MicroCare* Reflow Oven Cleaner attacks charred, baked-on flux residues that build up on reflow ovens. It also cleans pallets, conveyors, flux condensers, baffles, heating elements, clamps, chains, pulleys, gears and housings. This unique cleaner uses the latent heat generated by ovens and associated equipment to speed the cleaning of these essential systems to boost productivity and lower costs.

It reduces down time by making the job fast and easy: when compared to flammable alcohol cleaners, Reflow Oven Cleaner reduces cleaning time by 50%. Further, using isopropyl alcohol to clean reflow ovens makes the cleaning more difficult because alcohol actually cures the residues, so the chore becomes slower and more difficult after each cleaning cycle.

As an added bonus, individual cartons of spray product include a package of 100 *MicroCare* Drywipes to make a difficult cleaning job easy.

Discover Perfectly Clean www.MicroCare.com

MicroCare Corporation
595 John Downey Drive
New Britain, CT 06051 USA
CAGE: OATV9
Tel: +1 860 827 0626
Toll Free: 1 800 638 0125
Email: TechSupport@MicroCare.com

MicroCare Europe Bvba
Vekestraat 29 B11
Industriezone 't Sas
1910 Kampenhout, Belgium
Tel: +32 2 251 95 05
Fax: +32 2 400 96 39
Email: EuroSales@MicroCare.com

MicroCare Asia Pte Ltd
102E Pasir Panjang Road
#03-01 Citilink Warehouse Complex
Singapore 118529
Tel: +65 6271 0182
Email: TechSupport@MicroCare.sg

Technical Details and Cleaning Data	
Boiling Point	97 °C / 208 °F
Chemical Family	Water-Based
Odor	Mild
Percent Volatile	100%
Specific Gravity	0.99
Health, Safety and Environmental Data	
Flammable	No
Flashpoint	None
NFPA	Health: 1 Fire: 0 Instability: 0
Organic Content (g/L)	50
RoHS and WEEE Compliant	Yes
REACH	Yes*
GHS / HCS Pictogram	N/A
Packaging	
Pump Spray ³ - 12 oz / 340 g	MCC-ROC
Minicube ² - 7 lb / 3.18 kg	MCC-ROCG
Cube ² - 30 lb / 13.6 kg	MCC-ROCP
Drum ¹ - 436 lb / 197.8 kg	MCC-ROCD
TriggerGrip™ Compatible	No
Packaging	10 bottles / box
Shelf Life	Unlimited
Recycle	

*Contact MicroCare for specific details

Shake before each use. Not recommended for use in stencil printers. Ensure the cleaner is agitated periodically or it will foam during cleaning. For best results, use when the oven or wave solder machine is warm but not hot (approx. 45 °C / 107 °F). Always wear gloves when working with solder paste.

AVAILABILITY: Stocked by MicroCare distributors world-wide. Contact MicroCare for a distributor near you. For more information contact MicroCare directly or visit www.MicroCare.com.