

# SAFETY DATA SHEET FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

Product identifier

Product name FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

Product number MCC-FRZ

Synonyms; trade names Micro Freeze Circuit Cooler

Recommended use of the chemical and restrictions on use

**Uses advised against**No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier MICROCARE CORPORATION

Manufacturer MICROCARE CORPORATION

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: + 1 800 638 0125, +1 860-827-0626

Fax: +1 860-893-1930 techsupport@microcare.com

**Emergency telephone number** 

Emergency telephone CHEMTREC 1-800-424-9300 (within the U.S.)

+1 703-741-5970 (from anywhere in the world)

## 2. Hazard(s) identification

## Classification of the substance or mixture

Physical hazards Press. Gas, Compressed - H280

Health hazards Not Classified

Environmental hazards Not Classified

Human health Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Mild

dermatitis, allergic skin rash.

Physicochemical Aerosol containers can explode when heated, due to excessive pressure build-up. Vapors are

heavier than air and may travel along the floor and accumulate in the bottom of containers. Gas or vapor displaces oxygen available for breathing (asphyxiant). Not considered to be a

significant hazard due to the small quantities used.

#### Label elements

# FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

#### **Pictogram**



Signal word Warning

Hazard statements H280 Contains gas under pressure; may explode if heated.

**Precautionary statements** P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label

information

Safety data sheet available on request. For use in industrial installations only.

#### Other hazards

This product does not contain any substances classified as PBT or vPvB.

## 3. Composition/information on ingredients

#### **Mixtures**

#### HFC-134a Tetrafluoroethane

60-100%

CAS number: 811-97-2

## Classification

Press. Gas, Liquefied - H280

The full text for all hazard statements is displayed in Section 16.

Composition comments TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage

(concentration) of composition has been withheld as a trade secret in accordance with

paragraph (i) of CFR 1900.1200

#### Composition

## 4. First-aid measures

## Description of first aid measures

General information Contact with liquid form may cause frostbite. Never give anything by mouth to an unconscious

person. Do not induce vomiting. Place unconscious person on their side in the recovery position and ensure breathing can take place. If breathing stops, provide artificial respiration.

Keep out of the reach of children.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Consult a physician for specific advice.

**Skin Contact**Contact with liquid form may cause frostbite. Remove contaminated clothing and rinse skin

thoroughly with water.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Consult a physician for specific advice.

## Most important symptoms and effects, both acute and delayed

## FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

General information Contact with liquid form may cause frostbite. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

**Inhalation** Vapors may cause headache, fatigue, dizziness and nausea.

**Ingestion** Due to the physical nature of this material it is unlikely that swallowing will occur. Drowsiness,

dizziness, disorientation, vertigo.

Skin contact Contact with liquefied gas might cause frostbites, in some cases with tissue damage.

**Eye contact** Visual disturbances, including blurred vision.

#### Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## Special hazards arising from the substance or mixture

Specific hazards Keep away from heat, sparks and open flame. Thermal decomposition or combustion

products may include the following substances: Toxic and corrosive gases or vapors. Aerosol

containers can explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk. Bursting aerosol containers may

be propelled from a fire at high speed.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation.

Avoid inhalation of vapors. Use approved respirator if air contamination is above an

acceptable level.

**Environmental precautions** 

Environmental precautions Contain spillage with sand, earth or other suitable non-combustible material. Avoid release to

the environment.

## Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames

or other sources of ignition near spillage. Provide adequate ventilation.

## 7. Handling and storage

## Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid inhalation of vapors/spray and contact with skin and eyes.

Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Keep

out of the reach of children.

## FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

#### Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Specific end uses(s)

Reference to other sections. Store away from incompatible materials (see Section 10).

#### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

#### HFC-134a Tetrafluoroethane

Long-term exposure limit (8-hour TWA): OES 4240 mg/m<sup>3</sup>

#### **Additional Occupational**

**Exposure Limits** 

Ingredient comments Threshold Limit Values (2005), ACGIH, by the American Conference on Governmental

Industrial Hygienists.

#### **Exposure controls**

#### Protective equipment





Appropriate engineering

controls

No specific ventilation requirements. This product must not be handled in a confined space

without adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products. When using do not eat, drink or

smoke.

Respiratory protection Vapors are heavier than air and may travel along the floor and accumulate in the bottom of

containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.

Wear self-contained breathing apparatus with full facepiece.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

**Appearance** Liquid. Gas Aerosol.

Color Colorless.

Odor Slight. Ether.

Odor threshold No information available.

**pH** No information available.

Melting point No information available.

## FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

Initial boiling point and range -26°C/-16°F

Flash point

No information available.

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas)

No information available.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: n/a Lower flammable/explosive limit: n/a

Other flammability The product is not flammable.

 Vapor pressure
 96 PSIA @ 20°C

 Vapor density
 3.6 @ 25 C / 77 F

Relative density

No information available.

Bulk density

No information available.

Solubility(ies)

Partition coefficient

No information available.

Auto-ignition temperature

No information available.

No information available.

Viscosity

No information available.

Comments Aerosol.

**Explosive properties** 

Refractive index

No information available.

Particle size

No information available.

Molecular weight

No information available.

Volatility 100%

Saturation concentration No information available.

Critical temperature No information available.

Volatile organic compound This product contains a maximum VOC content of Zero .

No information available.

**Flammability** The product is not flammable.

10. Stability and reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from

heat, sparks and open flame. Thermal decomposition or combustion products may include the

following substances: Toxic and corrosive gases or vapors.

## FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

Materials to avoid Alkali metals. Alkaline earth metals. Powdered metal.

Hazardous decomposition

products

Heating may generate the following products: Toxic and corrosive gases or vapors.

 $Halogenated\ hydrocarbons.\ Hydrogen\ fluoride\ (HF).\ Carbon\ monoxide\ (CO).\ Carbon\ dioxide$ 

(CO2).

#### 11. Toxicological information

#### Information on toxicological effects

Other health effects There is no evidence that the product can cause cancer.

Inhalation Vapors irritate the respiratory system. May cause coughing and difficulties in breathing.

**Ingestion** May cause stomach pain or vomiting. May cause nausea, headache, dizziness and

intoxication.

Skin Contact Product has a defatting effect on skin. May cause allergic contact eczema. Contact with liquid

form may cause frostbite.

**Eye contact** May cause temporary eye irritation.

## Toxicological information on ingredients.

#### HFC-134a Tetrafluoroethane

**Other health effects** There is no evidence that the product can cause cancer.

Acute toxicity - inhalation

Acute toxicity inhalation

(LC<sub>50</sub> gases ppmV)

567,000.0

**Species** Rat

ATE inhalation (gases

ppm)

567,000.0

Inhalation Vapors irritate the respiratory system. May cause coughing and difficulties in

breathing.

Ingestion May cause stomach pain or vomiting. May cause nausea, headache, dizziness and

intoxication.

**Skin Contact** May cause allergic contact eczema. Contact with liquid form may cause frostbite.

**Eye contact** May cause temporary eye irritation.

### 12. Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

**Toxicity** Not considered toxic to fish.

## Ecological information on ingredients.

### HFC-134a Tetrafluoroethane

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 450 mg/l, Fish

# FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 980 mg/l, Daphnia magna

invertebrates

Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

HFC-134a Tetrafluoroethane

Partition coefficient Pow: 1.06

Mobility in soil

Mobility Not applicable.

Other adverse effects

Other adverse effects The product contains a substance or substances that will contribute to global warming

(greenhouse effect).

13. Disposal considerations

Waste treatment methods

General information Waste should be treated as controlled waste.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

**UN Number** 

**UN No. (IMDG)** 1950

**UN No. (ICAO)** 1950

UN proper shipping name

Proper shipping name (TDG) LIMITED QUANTITY

Proper shipping name (IMDG) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (ICAO) UN1950 AEROSOLS, NON-FLAMMABLE, 2.2, LIMITED QUANTITY

Proper shipping name (DOT) LIMITED QUANTITY

Transport hazard class(es)

IMDG Class 2.2 LIMITED QUANTITY

ICAO class/division 2.2 LIMITED QUANTITY

Packing group

Packing group (International) Not applicable.

ICAO packing group Not Applicable

**Environmental hazards** 

# FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

## **Environmentally Hazardous Substance**

No.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### 15. Regulatory information

Guidance Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

## **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

**CAA Accidental Release Prevention** 

Not listed.

SARA (311/312) Hazard Categories

Pressure

**US State Regulations** 

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

California Air Toxics "Hot Spots" (A-I)

Not listed.

California Air Toxics "Hot Spots" (A-II)

Not listed.

Massachusetts "Right To Know" List

Not listed.

Rhode Island "Right To Know" List

Not listed.

New Jersey "Right To Know" List

Not listed.

Pennsylvania "Right To Know" List

Not listed.

**Inventories** 

Canada - DSL/NDSL

DSL

# FRZ - GENERAL PURPOSE CIRCUIT CHILLER, AEROSOL

**US-TSCA** 

Yes

US - TSCA 12(b) Export Notification

Not listed.

Australia - AICS

Not listed.

Korea - KECI

Not listed.

China - IECSC

None of the ingredients are listed.

**Philippines - PICCS** 

Not listed.

New Zealand - NZIOC

Not listed.

Taiwan - NECI

Not listed.

## 16. Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 10/19/2018

Revision 48

Supersedes date 10/11/2018

SDS No. AEROSOL - FRZ

SDS status Approved.

Hazard statements in full H280 Contains gas under pressure; may explode if heated.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.